1008140050

TA-5

Bracket for US 2 GANG Double Depth Back Box

DESCRIPTION

Used for flush mounting of all Turbine Compact Stations together with back boxes TA-2 and TA-3

SPECIFICATIONS

MECHANICAL

Dimensions (HxWxD):	169 x 109 x 10 mm
Weight	0.2 kg

TECHNICAL DIMENSIONS

Parts included in the package

M5 x 16mm screw torx head for mounting bracket to the Turbine station (4pcs)

UNC 6-32 Panhead torx lenght ¾ inch (20mm) for mounting bracket to the Flush mount backbox TA-2 or TA-3 (4pcs)

3,5 x 8mm screw for mounting bracket to panel (4pcs) (Dimension of screw depending of panel material)

Threaded 5mm for fastening the station

USED WITH

1008111010
TCIS-1
IP and SIP Intercom

1008111020
TCIS-2
IP and SIP Intercom

1008111030
TCIS-3
IP and SIP Intercom

www.zenitel.com   info@zenitel.com

1008111040

TCIS-4

IP and SIP Intercom

1008111050

TCIS-5

IP and SIP Intercom

1008111060

TCIS-6

IP and SIP Intercom

1008115020

TCIV-2

Vandal Resistant VoIP Video Intercom

This product has been replaced by
1008315020 TCIV-2+

www.zenitel.com   info@zenitel.com

1008115030

TCIV-3

IP and SIP Video Intercom

This product has been replaced by
1008315030 TCIV-3+

1008115060

TCIV-6

IP and SIP Video Intercom

This product has been replaced by
1008315060 TCIV-6+

www.zenitel.com   info@zenitel.com

DISCONTINUED

Scroll to select

1008113020

TCIA-2

Analog over IP Intercom

1008115050

TCIV-5

IP and SIP Video Intercom

This product has been replaced by
1008315050 TCIV-5+

DISCONTINUED

Info

SOS

1008114010

TCAS-1

Analog Intercom

www.zenitel.com   info@zenitel.com

1008114020

TCAS-2

Analog Intercom

1008114030

TCAS-3

Analog Intercom

1008140020

TA-2

US 2-Gang 3½" Deep Backbox

1008140030

TA-3

2½" Deep Flushmount Backbox for Turbine Compact & & Mini

www.zenitel.com   info@zenitel.com